



WALL | CHARMOND

Available in 2 versions: integrated LED (2200K) or retrofit bulb (G4).
Lamps (G4 version) not included, consult light source guide for our advice.




409

CODE	TYPE	FINISH	WATT	VOLT	FITTING
CHA01D83	Charmond wall	Bronze	2,4	230	-
CHA1L1D83	Charmond wall	Brushed nickel	2,4	230	-
CHA2L1D83	Charmond wall	Chrome	2,4	230	-
CHA001F83	Charmond wall	Bronze	4	230	G4
CHA101F83	Charmond wall	Brushed nickel	4	230	G4
CHA201F83	Charmond wall	Chrome	4	230	G4


Vraag uw kortingsprijs
Ask your Discount Price
Demandez votre prix de Réduction
Fragen Sie Ihren Rabatt Preis
www.Bcosy.be

SPIKE I CHARMOND

Available in 2 versions: integrated LED (2200K) or retrofit bulb (G4).
Select the correct driver, see accessories.
Possible to integrate entrance fade dimming, enabling 2 levels of light intensity.
Lamps (G4 version) not included, consult light source guide for our advice.



414



CODE	TYPE	FINISH	WATT	VOLT	FITTING
CHA0L1P51	Charmond on pin 50 cm	Bronze	2,4	24	-
CHA0L1P75	Charmond on pin 75 cm	Bronze	2,4	24	-
CHA0L1P10	Charmond on pin 100 cm	Bronze	2,4	24	-
CHA0L1P15	Charmond on pin 150 cm	Bronze	2,4	24	-
CHA1L1P51	Charmond on pin 50 cm	Brushed nickel	2,4	24	-
CHA1L1P75	Charmond on pin 75 cm	Brushed nickel	2,4	24	-
CHA1L1P10	Charmond on pin 100 cm	Brushed nickel	2,4	24	-
CHA1L1P15	Charmond on pin 150 cm	Brushed nickel	2,4	24	-
CHA2L1P51	Charmond on pin 50 cm	Chrome	2,4	24	-
CHA2L1P75	Charmond on pin 75 cm	Chrome	2,4	24	-
CHA2L1P10	Charmond on pin 100 cm	Chrome	2,4	24	-
CHA2L1P15	Charmond on pin 150 cm	Chrome	2,4	24	-

OUTDOOR I SPIKE I CHARMOND


SPIKE | CHARMOND

CODE	TYPE	FINISH	WATT	VOLT	FITTING
CHA001P51	Charmond on pin 50 cm	Bronze	4	12	G4
CHA001P75	Charmond on pin 75 cm	Bronze	4	12	G4
CHA001P10	Charmond on pin 100 cm	Bronze	4	12	G4
CHA001P15	Charmond on pin 150 cm	Bronze	4	12	G4
CHA101P51	Charmond on pin 50 cm	Brushed nickel	4	12	G4
CHA101P75	Charmond on pin 75 cm	Brushed nickel	4	12	G4
CHA101P10	Charmond on pin 100 cm	Brushed nickel	4	12	G4
CHA101P15	Charmond on pin 150 cm	Brushed nickel	4	12	G4
CHA201P51	Charmond on pin 50 cm	Chrome	4	12	G4
CHA201P75	Charmond on pin 75 cm	Chrome	4	12	G4
CHA201P10	Charmond on pin 100 cm	Chrome	4	12	G4
CHA201P15	Charmond on pin 150 cm	Chrome	4	12	G4

Vraag uw kortingsprijs
Ask your Discount Price
Demandez votre prix de Réduction
Fragen Sie Ihren Rabatt Preis
www.Bcosy.be

GROUND & POLE | CHARMOND ON BASE

Available in 2 versions: integrated LED (2200K) or retrofit bulb (G4).
Possible to integrate entrance fade dimming, enabling 2 levels of light intensity.
Select the correct driver, see accessories.
Lamps (G4 version) not included, consult light source guide for our advice.



CODE	TYPE	FINISH	WATT	VOLT	FITTING
CHA0L1B51	Charmond on base 50 cm	Bronze	2,4	24	-
CHA0L1B75	Charmond on base 75 cm	Bronze	2,4	24	-
CHA0L1B10	Charmond on base 100 cm	Bronze	2,4	24	-
CHA0L1B15	Charmond on base 150 cm	Bronze	2,4	24	-
CHA1L1B51	Charmond on base 50 cm	Brushed nickel	2,4	24	-
CHA1L1B75	Charmond on base 75 cm	Brushed nickel	2,4	24	-
CHA1L1B10	Charmond on base 100 cm	Brushed nickel	2,4	24	-
CHA1L1B15	Charmond on base 150 cm	Brushed nickel	2,4	24	-
CHA2L1B51	Charmond on base 50 cm	Chrome	2,4	24	-
CHA2L1B75	Charmond on base 75 cm	Chrome	2,4	24	-
CHA2L1B10	Charmond on base 100 cm	Chrome	2,4	24	-
CHA2L1B15	Charmond on base 150 cm	Chrome	2,4	24	-



GROUND & POLE | CHARMOND ON BASE

CODE	TYPE	FINISH	WATT	VOLT	FITTING
CHA001B51	Charmond on base 50 cm	Bronze	4	12	G4
CHA001B75	Charmond on base 75 cm	Bronze	4	12	G4
CHA001B10	Charmond on base 100 cm	Bronze	4	12	G4
CHA001B15	Charmond on base 150 cm	Bronze	4	12	G4
CHA101B51	Charmond on base 50 cm	Brushed nickel	4	12	G4
CHA101B75	Charmond on base 75 cm	Brushed nickel	4	12	G4
CHA101B10	Charmond on base 100 cm	Brushed nickel	4	12	G4
CHA101B15	Charmond on base 150 cm	Brushed nickel	4	12	G4
CHA201B51	Charmond on base 50 cm	Chrome	4	12	G4
CHA201B75	Charmond on base 75 cm	Chrome	4	12	G4
CHA201B10	Charmond on base 100 cm	Chrome	4	12	G4
CHA201B15	Charmond on base 150 cm	Chrome	4	12	G4

Vraag uw kortingsprijs
Ask your Discount Price
Demandez votre prix de Réduction
Fragen Sie Ihren Rabatt Preis
www.Bcosy.be

GROUND & POLE | CHARMOND ON DRIVER BASE

Available in 2 versions: integrated LED (2200K) or retrofit bulb (G4).
Possible to integrate entrance fade dimming, enabling 2 levels of light intensity.
Lamps (G4 version) not included, consult light source guide for our advice.



CODE	TYPE	FINISH	WATT	VOLT	FITTING
CHA0L1D51	Charmond on driver base 50 cm	Bronze	2,4	230	-
CHA0L1D75	Charmond on driver base 75 cm	Bronze	2,4	230	-
CHA0L1D10	Charmond on driver base 100 cm	Bronze	2,4	230	-
CHA0L1D15	Charmond on driver base 150 cm	Bronze	2,4	230	-
CHA1L1D51	Charmond on driver base 50 cm	Brushed nickel	2,4	230	-
CHA1L1D75	Charmond on driver base 75 cm	Brushed nickel	2,4	230	-
CHA1L1D10	Charmond on driver base 100 cm	Brushed nickel	2,4	230	-
CHA1L1D15	Charmond on driver base 150 cm	Brushed nickel	2,4	230	-
CHA2L1D51	Charmond on driver base 50 cm	Chrome	2,4	230	-
CHA2L1D75	Charmond on driver base 75 cm	Chrome	2,4	230	-
CHA2L1D10	Charmond on driver base 100 cm	Chrome	2,4	230	-
CHA2L1D15	Charmond on driver base 150 cm	Chrome	2,4	230	-

OUTDOOR | GROUND & POLE | CHARMOND

GROUND & POLE | CHARMOND ON DRIVER BASE

CODE	TYPE	FINISH	WATT	VOLT	FITTING
CHA001T51	Charmond on driver base 50 cm	Bronze	4	230	G4
CHA001T75	Charmond on driver base 75 cm	Bronze	4	230	G4
CHA001T10	Charmond on driver base 100 cm	Bronze	4	230	G4
CHA001T15	Charmond on driver base 150 cm	Bronze	4	230	G4
CHA101T51	Charmond on driver base 50 cm	Brushed nickel	4	230	G4
CHA101T75	Charmond on driver base 75 cm	Brushed nickel	4	230	G4
CHA101T10	Charmond on driver base 100 cm	Brushed nickel	4	230	G4
CHA101T15	Charmond on driver base 150 cm	Brushed nickel	4	230	G4
CHA201T51	Charmond on driver base 50 cm	Chrome	4	230	G4
CHA201T75	Charmond on driver base 75 cm	Chrome	4	230	G4
CHA201T10	Charmond on driver base 100 cm	Chrome	4	230	G4
CHA201T15	Charmond on driver base 150 cm	Chrome	4	230	G4

Vraag uw kortingsprijs
Ask your Discount Price
Demandez votre prix de Réduction
Fragen Sie Ihren Rabatt Preis
www.Bcosy.be

Select your driver with following steps

484

STEP 1

SELECT TYPE OF DRIVER (12V OR 24V)

Collection	Type of driver
Centonze, Marron, Comète, Poire, Fleure, Fleure Twin, Fiston, Monet, Grille, Subtile, Charmond (retrofit), Macro	12V
Matisse, Pipilier, Beautique, Galed, Charmond (integrated), Eclips	24V

STEP 2

CALCULATE TOTAL POWER CONSUMPTION OF THIS CIRCUIT

How many products (N) do you combine on 1 driver?
Total power consumption = N x power consumption of 1 product

STEP 3

CALCULATE REQUIRED DRIVER CAPACITY

LED lamp: use maximum 50% of total nominal power of the driver
Halogen lamp: use 100% of total nominal power of the transformer

STEP 4

LOCATION OF THE DRIVER / TRAFO

Indoor, outdoor or in the ground

EXAMPLE: Installation of 4 Centonze LED-spot with a bulb of 12W each in a living room

- Step 1

Centonze requires 12V driver
- Step 2

Total power consumption = 4(N) x 12W (power consumption of 1 product) = 48W
- Step 3

LED lamp, only 50% of driver power can be used. Total required driver capacity is 2x48W=96W
- Step 4

Indoor application (living room)
- Result

Drivers TOETRAP10 (rectangular) or TOETRAR10 (round) can be used

ACCESSORIES | DRIVER / TRANSFORMER



485

	CODE	TYPE	LOCATION	DIM	L(cm)	W(cm)	H(cm)
1	TOETRAR60	Transformer IP20 12V 50W	INDOOR	dimnable	Ø5		2
2	LEDRI1250	Transformer IP20 12V 50W	INDOOR	dimnable	7,5	3,5	2,6
3	LEDRW1250	Transformer IP68 12V 50W	GROUND	dimnable	9	9	5
4	TOETRAP60	Transformer IP20 12V 60W	INDOOR	dimnable	8,5	3	2
5	TOETR6560	Transformer IP65 12V 60W	OUTDOOR	dimnable	Ø5,3		2
6	TOETR656L	Transformer IP65 12V 60W	OUTDOOR	dimnable	10,4	3	2,1
7	TOETR6860	Transformer IP68 12V 60W	GROUND	dimnable	9	9	5
8	TOETRAP10	Transformer IP20 12V 105W	INDOOR	dimnable	10,5	3,5	2
9	TOETRAR10	Transformer IP20 12V 105W	INDOOR	dimnable	Ø7		2
10	TOETR6510	Transformer IP65 12V 105W	OUTDOOR	dimnable	Ø6,8		2,4
11	TOETR651L	Transformer IP65 12V 105W	OUTDOOR	dimnable	13,5	3	2
12	TOETR6810	Transformer IP68 12V 105W	GROUND	dimnable	9	9	5
13	TOEDR2404	Driver constant voltage IP65 24V 4W	OUTDOOR		3,8	2,7	2,1
14	TOEDR2405	Driver constant voltage IP67 24V 5W	OUTDOOR		5,7	5,5	2,4
15	LEDRW2405	Driver constant voltage IP68 24V 5W	GROUND		5,7	5,5	2,4
16	TOEDR2412	Driver constant voltage IP67 24V 12W	OUTDOOR		6,5	3,5	2,2
17	TOEDR2420	Driver constant voltage IP67 24V 20W	OUTDOOR		15,6	2,9	2,1
18	TOEDR2430	Driver constant voltage IP67 24V 30W	OUTDOOR		18,1	2,9	2,1
19	TOEDR2436	Driver constant voltage Triac + push dim IP20 24V 36W	INDOOR	dimnable	17,5	4,5	3
20	TOEDR2445	Driver constant voltage IP67 24V 45W	OUTDOOR		22	2,9	2,1
21	TOEDR2460	Driver constant voltage IP67 24V 60W	OUTDOOR		17,8	6,7	3,8
22	TOEDR2475	Driver constant voltage Triac + push dim IP20 24V 75W	INDOOR	dimnable	20,3	6,2	3,5
23	TOEDR2480	Driver constant voltage IP67 24V 80W	OUTDOOR		15,8	5,3	3,5
24	TOEDR2400	Driver constant voltage IP67 24V 100W	OUTDOOR		21,2	6,7	3,8