



CEILING | VITRINE FLEURE LONG

For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable. The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.




161

CODE	TYPE	FINISH	WATT	VOLT	FITTING
VIT0L4208	Vitrine plafonnier fleure long 4L	Bronze	4 x 4	230	G4
VIT1L4208	Vitrine plafonnier fleure long 4L	Brushed nickel	4 x 4	230	G4
VIT2L4208	Vitrine plafonnier fleure long 4L	Chrome	4 x 4	230	G4


Vraag uw kortingsprijs
Ask your Discount Price
Demandez votre prix de Réduction
Fragen Sie Ihren Rabatt Preis
www.Bcosy.be

CEILING I VITRINE FLEURE SQUARE

For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable. The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.




162




CODE	TYPE	FINISH	WATT	VOLT	FITTING
VIT0L4209	Vitrine plafonnier fleure square 4L	Bronze	4 x 4	230	G4
VIT0L9210	Vitrine plafonnier fleure square 9L	Bronze	9 x 4	230	G4
VIT1L4209	Vitrine plafonnier fleure square 4L	Brushed nickel	4 x 4	230	G4
VIT1L9210	Vitrine plafonnier fleure square 9L	Brushed nickel	9 x 4	230	G4
VIT2L4209	Vitrine plafonnier fleure square 4L	Chrome	4 x 4	230	G4
VIT2L9210	Vitrine plafonnier fleure square 9L	Chrome	9 x 4	230	G4

SPOT I FLEURE DISC WITH SPRINGS


Select the correct driver, see accessories.
For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable.
The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.



222





CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLE0L1I70	Fleure disc with springs 7 cm	Bronze	4	12	G4
FLE0L1I85	Fleure disc with springs 8,5 cm	Bronze	4	12	G4
FLE0L1I10	Fleure disc with springs 10 cm	Bronze	4	12	G4
FLE1L1I70	Fleure disc with springs 7 cm	Brushed nickel	4	12	G4
FLE1L1I85	Fleure disc with springs 8,5 cm	Brushed nickel	4	12	G4
FLE1L1I10	Fleure disc with springs 10 cm	Brushed nickel	4	12	G4
FLE2L1I70	Fleure disc with springs 7 cm	Chrome	4	12	G4
FLE2L1I85	Fleure disc with springs 8,5 cm	Chrome	4	12	G4
FLE2L1I10	Fleure disc with springs 10 cm	Chrome	4	12	G4




SPOT I FLEURE ROSAS WITH SPRINGS

Select the correct driver, see accessories.
For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable.
The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.




223

CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLE0L1J75	Fleure rosas with springs 7,5 cm	Bronze	4	12	G4
FLE0L1J90	Fleure rosas with springs 9 cm	Bronze	4	12	G4
FLE0L1J10	Fleure rosas with springs 10,5 cm	Bronze	4	12	G4
FLE1L1J75	Fleure rosas with springs 7,5 cm	Brushed nickel	4	12	G4
FLE1L1J90	Fleure rosas with springs 9 cm	Brushed nickel	4	12	G4
FLE1L1J10	Fleure rosas with springs 10,5 cm	Brushed nickel	4	12	G4
FLE2L1J75	Fleure rosas with springs 7,5 cm	Chrome	4	12	G4
FLE2L1J90	Fleure rosas with springs 9 cm	Chrome	4	12	G4
FLE2L1J10	Fleure rosas with springs 10,5 cm	Chrome	4	12	G4




SPOT I FLEURE MOUNTED BASE

Select the correct driver, see accessories.
For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable.
The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.




224



CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLE0L1G83	Fleure mounted base	Bronze	4	12	G4
FLE1L1G83	Fleure mounted base	Brushed nickel	4	12	G4
FLE2L1G83	Fleure mounted base	Chrome	4	12	G4



Vraag uw kortingsprijs
Ask your Discount Price
Demandez votre prix de Réduction
Fragen Sie Ihren Rabatt Preis
www.Bcosy.be

INDOOR I SPOT I FLEURE




SPOT I FLEURE ON ROUND BASE

For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable. The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.




225

CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLE0L1F83	Fleure on round base	Bronze	4	230	G4
FLE1L1F83	Fleure on round base	Brushed nickel	4	230	G4
FLE2L1F83	Fleure on round base	Chrome	4	230	G4




SPOT I FLEURE ON ROUNDED PROFILE

For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable. The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.




226



CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLE0L2O02	Fleure on rounded profile 2L	Bronze	2 x 4	230	G4
FLE1L2O02	Fleure on rounded profile 2L	Brushed nickel	2 x 4	230	G4
FLE2L2O02	Fleure on rounded profile 2L	Chrome	2 x 4	230	G4



Vraag uw kortingsprijs
Ask your Discount Price
Demandez votre prix de Réduction
Fragen Sie Ihren Rabatt Preis
www.Bcosy.be

INDOOR I SPOT I FLEURE




SPOT I FLEURE ON SQUARE BASE

For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable. The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.



227

CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLE0L1V70	Fleure on square base	Bronze	4	230	G4
FLE1L1V70	Fleure on square base	Brushed nickel	4	230	G4
FLE2L1V70	Fleure on square base	Chrome	4	230	G4




SPOT I FLEURE ON SQUARE BASE MEDIUM


For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable. The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.



228




CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLE0L2V10	Fleure on square base 2L	Bronze	2 x 4	230	G4
FLE0L4V10	Fleure on square base 4L	Bronze	4 x 4	230	G4
FLE1L2V10	Fleure on square base 2L	Brushed nickel	2 x 4	230	G4
FLE1L4V10	Fleure on square base 4L	Brushed nickel	4 x 4	230	G4
FLE2L2V10	Fleure on square base 2L	Chrome	2 x 4	230	G4
FLE2L4V10	Fleure on square base 4L	Chrome	4 x 4	230	G4




SPOT I FLEURE ON SQUARE BASE LARGE

For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable. The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.



229

CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLE0L4V17	Fleure on square base 4L	Bronze	4 x 4	230	G4
FLE0L8V21	Fleure on square base 8L	Bronze	8 x 4	230	G4
FLE1L4V17	Fleure on square base 4L	Brushed nickel	4 x 4	230	G4
FLE1L8V21	Fleure on square base 8L	Brushed nickel	8 x 4	230	G4
FLE2L4V17	Fleure on square base 4L	Chrome	4 x 4	230	G4
FLE2L8V21	Fleure on square base 8L	Chrome	8 x 4	230	G4




SPOT I FLEURE ON ROUND PLATE LARGE

For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable. The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.



230





CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLE0L3R30	Fleure on round plate 3L	Bronze	3 x 4	230	G4
FLE0L6R30	Fleure on round plate 6L	Bronze	6 x 4	230	G4
FLE1L3R30	Fleure on round plate 3L	Brushed nickel	3 x 4	230	G4
FLE1L6R30	Fleure on round plate 6L	Brushed nickel	6 x 4	230	G4
FLE2L3R30	Fleure on round plate 3L	Chrome	3 x 4	230	G4
FLE2L6R30	Fleure on round plate 6L	Chrome	6 x 4	230	G4



Scan the QR-code & discover
the difference between
LED and Halogen for Fleure!

SPOT I FLEURE M10

Select the correct driver, see accessories.
For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable.
The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.



231

CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLE0L1M01	Fleure M10	Bronze	4	12	G4
FLE1L1M01	Fleure M10	Brushed nickel	4	12	G4
FLE2L1M01	Fleure M10	Chrome	4	12	G4




Scan the QR-code & discover
the difference between
LED and Halogen for Fleure!

SPOT I FLEURE ON PROFILE


Customise your product, choose the length of the profile and number of spots.

For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable. The product code for halogen is ...0...instead of ...L....

Lamps not included, consult light source guide for our advice.





232



CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLE0L3B03	Fleure on profile 30 cm - 3L	Bronze	3 x 4	230	G4
FLE0L5B05	Fleure on profile 50 cm - 5L	Bronze	3 x 4	230	G4
FLE0L4B07	Fleure on profile 75 cm - 4L	Bronze	3 x 4	230	G4
FLE0L4B10	Fleure on profile 100 cm - 4L	Bronze	3 x 4	230	G4
FLE0L4B12	Fleure on profile 120 cm - 4L	Bronze	3 x 4	230	G4
FLE0L4B15	Fleure on profile 150 cm - 4L	Bronze	3 x 4	230	G4
FLE0L4B20	Fleure on profile 200 cm - 4L	Bronze	3 x 4	230	G4
FLE0L1XTR	Fleure extra mounted on profile	Bronze	4	230	G4
FLE1L3B03	Fleure on profile 30 cm - 3L	Brushed nickel	3 x 4	230	G4
FLE1L5B05	Fleure on profile 50 cm - 5L	Brushed nickel	3 x 4	230	G4
FLE1L4B07	Fleure on profile 75 cm - 4L	Brushed nickel	3 x 4	230	G4
FLE1L4B10	Fleure on profile 100 cm - 4L	Brushed nickel	3 x 4	230	G4
FLE1L4B12	Fleure on profile 120 cm - 4L	Brushed nickel	3 x 4	230	G4
FLE1L4B15	Fleure on profile 150 cm - 4L	Brushed nickel	3 x 4	230	G4
FLE1L4B20	Fleure on profile 200 cm - 4L	Brushed nickel	3 x 4	230	G4
FLE1L1XTR	Fleure extra mounted on profile	Brushed nickel	4	230	G4
FLE2L3B03	Fleure on profile 30 cm - 3L	Chrome	3 x 4	230	G4
FLE2L5B05	Fleure on profile 50 cm - 5L	Chrome	3 x 4	230	G4
FLE2L4B07	Fleure on profile 75 cm - 4L	Chrome	3 x 4	230	G4
FLE2L4B10	Fleure on profile 100 cm - 4L	Chrome	3 x 4	230	G4
FLE2L4B12	Fleure on profile 120 cm - 4L	Chrome	3 x 4	230	G4
FLE2L4B15	Fleure on profile 150 cm - 4L	Chrome	3 x 4	230	G4
FLE2L4B20	Fleure on profile 200 cm - 4L	Chrome	3 x 4	230	G4
FLE2L1XTR	Fleure extra mounted on profile	Chrome	4	230	G4


SPOT I FLEURE TWIN DISC WITH SPRINGS

Select the correct driver, see accessories.
For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable.
The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.




233

CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLT0L1I70	Fleure twin disc with springs 7 cm	Bronze	2 x 4	12	G4
FLT0L1I85	Fleure twin disc with springs 8,5 cm	Bronze	2 x 4	12	G4
FLT0L1I10	Fleure twin disc with springs 10 cm	Bronze	2 x 4	12	G4
FLT1L1I70	Fleure twin disc with springs 7 cm	Brushed nickel	2 x 4	12	G4
FLT1L1I85	Fleure twin disc with springs 8,5 cm	Brushed nickel	2 x 4	12	G4
FLT1L1I10	Fleure twin disc with springs 10 cm	Brushed nickel	2 x 4	12	G4
FLT2L1I70	Fleure twin disc with springs 7 cm	Chrome	2 x 4	12	G4
FLT2L1I85	Fleure twin disc with springs 8,5 cm	Chrome	2 x 4	12	G4
FLT2L1I10	Fleure twin disc with springs 10 cm	Chrome	2 x 4	12	G4




SPOT I FLEURE TWIN ROSAS WITH SPRINGS

Select the correct driver, see accessories.
For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable.
The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.



234



CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLT0L1J75	Fleure Twin rosas with springs 7,5 cm	Bronze	2 x 4	12	G4
FLT0L1J90	Fleure Twin rosas with springs 9 cm	Bronze	2 x 4	12	G4
FLT0L1J10	Fleure Twin rosas with springs 10,5 cm	Bronze	2 x 4	12	G4
FLT1L1J75	Fleure Twin rosas with springs 7,5 cm	Brushed nickel	2 x 4	12	G4
FLT1L1J90	Fleure Twin rosas with springs 9 cm	Brushed nickel	2 x 4	12	G4
FLT1L1J10	Fleure Twin rosas with springs 10,5 cm	Brushed nickel	2 x 4	12	G4
FLT2L1J75	Fleure Twin rosas with springs 7,5 cm	Chrome	2 x 4	12	G4
FLT2L1J90	Fleure Twin rosas with springs 9 cm	Chrome	2 x 4	12	G4
FLT2L1J10	Fleure Twin rosas with springs 10,5 cm	Chrome	2 x 4	12	G4



INDOOR I SPOT I FLEURE TWIN



Scan the QR-code & discover the difference between LED and Halogen for Fleure!

SPOT I FLEURE TWIN MOUNTED BASE

Select the correct driver, see accessories.
For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable.
The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.



235


CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLT0L1G83	Fleure Twin mounted base	Bronze	2 x 4	12	G4
FLT1L1G83	Fleure Twin mounted base	Brushed nickel	2 x 4	12	G4
FLT2L1G83	Fleure Twin mounted base	Chrome	2 x 4	12	G4




Scan the QR-code & discover
the difference between
LED and Halogen for Fleure!

SPOT I FLEURE TWIN ON ROUND BASE

For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable. The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.




236



CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLT0L1F83	Fleure Twin on round base	Bronze	2 x 4	230	G4
FLT1L1F83	Fleure Twin on round base	Brushed nickel	2 x 4	230	G4
FLT2L1F83	Fleure Twin on round base	Chrome	2 x 4	230	G4


Vraag uw kortingsprijs
Ask your Discount Price
Demandez votre prix de Réduction
Fragen Sie Ihren Rabatt Preis
www.Bcosy.be

INDOOR I SPOT I FLEURE TWIN



SPOT I FLEURE TWIN ON ROUNDED PROFILE

For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable. The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.



237


CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLT0L2O02	Fleure Twin on rounded profile 2L	Bronze	4 x 4	230	G4
FLT1L2O02	Fleure Twin on rounded profile 2L	Brushed nickel	4 x 4	230	G4
FLT2L2O02	Fleure Twin on rounded profile 2L	Chrome	4 x 4	230	G4




Scan the QR-code & discover
the difference between
LED and Halogen for Fleure!

SPOT I FLEURE TWIN ON SQUARE BASE

For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable. The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.



238



CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLT0L1V70	Fleure Twin on square base	Bronze	2 x 4	230	G4
FLT1L1V70	Fleure Twin on square base	Brushed nickel	2 x 4	230	G4
FLT2L1V70	Fleure Twin on square base	Chrome	2 x 4	230	G4

Vraag uw kortingsprijs
Ask your Discount Price
Demandez votre prix de Réduction
Fragen Sie Ihren Rabatt Preis
www.Bcosy.be



INDOOR I SPOT I FLEURE TWIN



Scan the QR-code & discover
the difference between
LED and Halogen for Fleure!


SPOT I FLEURE TWIN ON SQUARE BASE LARGE

For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable. The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.



239

CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLT0L4V17	Fleure Twin on square base 4L	Bronze	8 x 4	230	G4
FLT0L6V21	Fleure Twin on square base 6L	Bronze	12 x 4	230	G4
FLT1L4V17	Fleure Twin on square base 4L	Brushed nickel	8 x 4	230	G4
FLT1L6V21	Fleure Twin on square base 6L	Brushed nickel	12 x 4	230	G4
FLT2L4V17	Fleure Twin on square base 4L	Chrome	8 x 4	230	G4
FLT2L6V21	Fleure Twin on square base 6L	Chrome	12 x 4	230	G4




SPOT I FLEURE TWIN ON ROUND PLATE LARGE

For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable. The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.




240



CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLT0L3R30	Fleure Twin on round plate 3L	Bronze	6 x 4	230	G4
FLT0L6R30	Fleure Twin on round plate 6L	Bronze	12 x 4	230	G4
FLT1L3R30	Fleure Twin on round plate 3L	Brushed nickel	6 x 4	230	G4
FLT1L6R30	Fleure Twin on round plate 6L	Brushed nickel	12 x 4	230	G4
FLT2L3R30	Fleure Twin on round plate 3L	Chrome	6 x 4	230	G4
FLT2L6R30	Fleure Twin on round plate 6L	Chrome	12 x 4	230	G4



Vraag uw kortingsprijs
Ask your Discount Price
Demandez votre prix de Réduction
Fragen Sie Ihren Rabatt Preis
www.Bcosy.be

INDOOR I SPOT I FLEURE TWIN



SPOT I FLEURE TWIN M10

Select the correct driver, see accessories.
For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable.
The product code for halogen is0....instead ofL....
Lamps not included, consult light source guide for our advice.



241

CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLT0L1M10	Fleure Twin M10	Bronze	2 x 4	12	G4
FLT1L1M10	Fleure Twin M10	Brushed nickel	2 x 4	12	G4
FLT2L1M10	Fleure Twin M10	Chrome	2 x 4	12	G4





Scan the QR-code & discover
the difference between
LED and Halogen for Fleure!

SPOT I FLEURE TWIN ON PROFILE

Customise your product, choose the length of the profile and number of spots.


For accent lighting, select halogen. For functional lighting, select LED. LED and halogen lamps are not interchangeable. The product code for halogen is ...0....instead of ...L....

Lamps not included, consult light source guide for our advice.



CODE	TYPE	FINISH	WATT	VOLT	FITTING
FLT0L3B03	Fleure Twin on profile 30 cm - 3L	Bronze	6 x 4	230	G4
FLT0L4B05	Fleure Twin on profile 50 cm - 4L	Bronze	8 x 4	230	G4
FLT0L4B07	Fleure Twin on profile 75 cm - 4L	Bronze	8 x 4	230	G4
FLT0L4B10	Fleure Twin on profile 100 cm - 4L	Bronze	8 x 4	230	G4
FLT0L4B12	Fleure Twin on profile 120 cm - 4L	Bronze	8 x 4	230	G4
FLT0L4B15	Fleure Twin on profile 150 cm - 4L	Bronze	8 x 4	230	G4
FLT0L4B20	Fleure Twin on profile 200 cm - 4L	Bronze	8 x 4	230	G4
FLT0L1XTR	Fleure Twin extra mounfed on profile	Bronze	2 x 4	230	G4
FLT1L3B03	Fleure Twin on profile 30 cm - 3L	Brushed nickel	6 x 4	230	G4
FLT1L4B05	Fleure Twin on profile 50 cm - 4L	Brushed nickel	8 x 4	230	G4
FLT1L4B07	Fleure Twin on profile 75 cm - 4L	Brushed nickel	8 x 4	230	G4
FLT1L4B10	Fleure Twin on profile 100 cm - 4L	Brushed nickel	8 x 4	230	G4
FLT1L4B12	Fleure Twin on profile 120 cm - 4L	Brushed nickel	8 x 4	230	G4
FLT1L4B15	Fleure Twin on profile 150 cm - 4L	Brushed nickel	8 x 4	230	G4
FLT1L4B20	Fleure Twin on profile 200 cm - 4L	Brushed nickel	8 x 4	230	G4
FLT1L1XTR	Fleure Twin extra mounted on profile	Brushed nickel	2 x 4	230	G4
FLT2L3B03	Fleure Twin on profile 30 cm - 3L	Chrome	6 x 4	230	G4
FLT2L4B05	Fleure Twin on profile 50 cm - 4L	Chrome	8 x 4	230	G4
FLT2L4B07	Fleure Twin on profile 75 cm - 4L	Chrome	8 x 4	230	G4
FLT2L4B10	Fleure Twin on profile 100 cm - 4L	Chrome	8 x 4	230	G4
FLT2L4B12	Fleure Twin on profile 120 cm - 4L	Chrome	8 x 4	230	G4
FLT2L4B15	Fleure Twin on profile 150 cm - 4L	Chrome	8 x 4	230	G4
FLT2L4B20	Fleure Twin on profile 200 cm - 4L	Chrome	8 x 4	230	G4
FLT2L1XTR	Fleure Twin extra mounted on profile	Chrome	2 x 4	230	G4

TRACK | SPOT ON TRACK - DRIVER




Lamps not included, consult light source guide for our advice.



264

CODE	TYPE	FINISH	WATT	VOLT	FITTING
CEN001TV7	Centonze on track	Bronze	15	230	G53
FLE001TV7	Fleure on track	Bronze	4	230	G4
FLT002TV7	Fleure Twin on track	Bronze	2 x 4	230	G4
MAR001TV7	Marron on track	Bronze	8	230	Ba15d
CEN101TV7	Centonze on track	Brushed nickel	15	230	G53
FLE101TV7	Fleure on track	Brushed nickel	4	230	G4
FLT102TV7	Fleure Twin on track	Brushed nickel	2 x 4	230	G4
MAR101TV7	Marron on track	Brushed nickel	8	230	Ba15d
CEN201TV7	Centonze on track	Chrome	15	230	G53
FLE201TV7	Fleure on track	Chrome	4	230	G4
FLT202TV7	Fleure Twin on track	Chrome	2 x 4	230	G4
MAR201TV7	Marron on track	Chrome	8	230	Ba15d



262

CODE	TYPE	FINISH	WATT	VOLT	FITTING
TRA000100	Track-system profile 100cm	Bronze	-	230	-
TRA000125	Track-system profile 125cm	Bronze	-	230	-
TRA000150	Track-system profile 150cm	Bronze	-	230	-
TRA000200	Track-system profile 200cm	Bronze	-	230	-
TRA100100	Track-system profile 100cm	Brushed nickel	-	230	-
TRA100125	Track-system profile 125cm	Brushed nickel	-	230	-
TRA100150	Track-system profile 150cm	Brushed nickel	-	230	-
TRA100200	Track-system profile 200cm	Brushed nickel	-	230	-
TRA200100	Track-system profile 100cm	Chrome	-	230	-
TRA200125	Track-system profile 125cm	Chrome	-	230	-
TRA200150	Track-system profile 150cm	Chrome	-	230	-
TRA200200	Track-system profile 200cm	Chrome	-	230	-
TRA300100	Track-system profile 100cm	Polished brass	-	230	-
TRA300125	Track-system profile 125cm	Polished brass	-	230	-
TRA300150	Track-system profile 150cm	Polished brass	-	230	-
TRA300200	Track-system profile 200cm	Polished brass	-	230	-

ACCESSORIES | CONNECTION SYSTEM ELIGNE / TRACK




478

CODE	TYPE	FINISH
ELP00ICON	I connection track-system / eligne	Bronze
ELP00LCON	L connection track-system / eligne	Bronze
ELP00TCON	T connection track-system / eligne	Bronze
ELP10ICON	I connection track-system / eligne	Brushed nickel
ELP10LCON	L connection track-system / eligne	Brushed nickel
ELP10TCON	T connection track-system / eligne	Brushed nickel
ELP20ICON	I connection track-system / eligne	Chrome
ELP20LCON	L connection track-system / eligne	Chrome
ELP20TCON	T connection track-system / eligne	Chrome


Vraag uw kortingsprijs
Ask your Discount Price
Demandez votre prix de Réduction
Fragen Sie Ihren Rabatt Preis
www.Bcosy.be

WALL I LISIBLE FLEURE

For reading light, select LED.
Lamps not included, consult light source guide for our advice.
Switch can be integrated in the product, consult accessories.



310




CODE	TYPE	FINISH	WATT	VOLT	FITTING
LFL0L1V70	Lisible fleure wall	Bronze	4	230	G4
LFL1L1V70	Lisible fleure wall	Brushed nickel	4	230	G4
LFL2L1V70	Lisible fleure wall	Chrome	4	230	G4

Vraag uw kortingsprijs
Ask your Discount Price
Demandez votre prix de Réduction
Fragen Sie Ihren Rabatt Preis
www.Bcosy.be

WALL I LISIBLE FLEURE TWIN

For reading light, select LED.
Lamps not included, consult light source guide for our advice.
Switch can be integrated in the product, consult accessories.




311



CODE	TYPE	FINISH	WATT	VOLT	FITTING
LFT0L2V70	Lisible fleure twin wall	Bronze	2 x 4	230	G4
LFT1L2V70	Lisible fleure twin wall	Brushed nickel	2 x 4	230	G4
LFT2L2V70	Lisible fleure twin wall	Chrome	2 x 4	230	G4

Vraag uw kortingsprijs
Ask your Discount Price
Demandez votre prix de Réduction
Fragen Sie Ihren Rabatt Preis
www.Bcosy.be

FLOOR I LISIBLE FLEURE



For reading light, select LED.
Lamps not included, consult light source guide for our advice.



367

CODE	TYPE	FINISH	WATT	VOLT	FITTING
LFL0L1FLO	Lisible fleure floor	Bronze	4	230	G4
LFL1L1FLO	Lisible fleure floor	Brushed nickel	4	230	G4
LFL2L1FLO	Lisible fleure floor	Chrome	4	230	G4

Vraag uw kortingsprijs
Ask your Discount Price
Demandez votre prix de Réduction
Fragen Sie Ihren Rabatt Preis
www.Bcosy.be

FLOOR I LISIBLE FLEURE TWIN



For reading light, select LED.
Lamps not included, consult light source guide for our advice.



368



CODE	TYPE	FINISH	WATT	VOLT	FITTING
LFT0L1FLO	Lisible fleure twin floor	Bronze	2 x 4	230	G4
LFT1L1FLO	Lisible fleure twin floor	Brushed nickel	2 x 4	230	G4
LFT2L1FLO	Lisible fleure twin floor	Chrome	2 x 4	230	G4

Select your driver with following steps

484

STEP 1

SELECT TYPE OF DRIVER (12V OR 24V)

Collection	Type of driver
Centonze, Marron, Comète, Poire, Fleure, Fleure Twin, Fiston, Monet, Grille, Subtile, Charmond (retrofit), Macro	12V
Matisse, Pipilier, Beautique, Galed, Charmond (integrated), Eclips	24V

STEP 2

CALCULATE TOTAL POWER CONSUMPTION OF THIS CIRCUIT

How many products (N) do you combine on 1 driver?
Total power consumption = N x power consumption of 1 product

STEP 3

CALCULATE REQUIRED DRIVER CAPACITY

LED lamp: use maximum 50% of total nominal power of the driver
Halogen lamp: use 100% of total nominal power of the transformer

STEP 4

LOCATION OF THE DRIVER / TRAFO

Indoor, outdoor or in the ground

EXAMPLE: Installation of 4 Centonze LED-spot with a bulb of 12W each in a living room

- Step 1** Centonze requires 12V driver
- Step 2** Total power consumption = 4(N) x 12W (power consumption of 1 product) = 48W
- Step 3** LED lamp, only 50% of driver power can be used. Total required driver capacity is 2x48W=96W
- Step 4** Indoor application (living room)
- Result** Drivers TOETRAP10 (rectangular) or TOETRAR10 (round) can be used

ACCESSORIES | DRIVER / TRANSFORMER



485

	CODE	TYPE	LOCATION	DIM	L(cm)	W(cm)	H(cm)
1	TOETRAR60	Transformer IP20 12V 50W	INDOOR	dimnable	Ø5		2
2	LEDRI1250	Transformer IP20 12V 50W	INDOOR	dimnable	7,5	3,5	2,6
3	LEDRW1250	Transformer IP68 12V 50W	GROUND	dimnable	9	9	5
4	TOETRAP60	Transformer IP20 12V 60W	INDOOR	dimnable	8,5	3	2
5	TOETR6560	Transformer IP65 12V 60W	OUTDOOR	dimnable	Ø5,3		2
6	TOETR656L	Transformer IP65 12V 60W	OUTDOOR	dimnable	10,4	3	2,1
7	TOETR6860	Transformer IP68 12V 60W	GROUND	dimnable	9	9	5
8	TOETRAP10	Transformer IP20 12V 105W	INDOOR	dimnable	10,5	3,5	2
9	TOETRAR10	Transformer IP20 12V 105W	INDOOR	dimnable	Ø7		2
10	TOETR6510	Transformer IP65 12V 105W	OUTDOOR	dimnable	Ø6,8		2,4
11	TOETR651L	Transformer IP65 12V 105W	OUTDOOR	dimnable	13,5	3	2
12	TOETR6810	Transformer IP68 12V 105W	GROUND	dimnable	9	9	5
13	TOEDR2404	Driver constant voltage IP65 24V 4W	OUTDOOR		3,8	2,7	2,1
14	TOEDR2405	Driver constant voltage IP67 24V 5W	OUTDOOR		5,7	5,5	2,4
15	LEDRW2405	Driver constant voltage IP68 24V 5W	GROUND		5,7	5,5	2,4
16	TOEDR2412	Driver constant voltage IP67 24V 12W	OUTDOOR		6,5	3,5	2,2
17	TOEDR2420	Driver constant voltage IP67 24V 20W	OUTDOOR		15,6	2,9	2,1
18	TOEDR2430	Driver constant voltage IP67 24V 30W	OUTDOOR		18,1	2,9	2,1
19	TOEDR2436	Driver constant voltage Triac + push dim IP20 24V 36W	INDOOR	dimnable	17,5	4,5	3
20	TOEDR2445	Driver constant voltage IP67 24V 45W	OUTDOOR		22	2,9	2,1
21	TOEDR2460	Driver constant voltage IP67 24V 60W	OUTDOOR		17,8	6,7	3,8
22	TOEDR2475	Driver constant voltage Triac + push dim IP20 24V 75W	INDOOR	dimnable	20,3	6,2	3,5
23	TOEDR2480	Driver constant voltage IP67 24V 80W	OUTDOOR		15,8	5,3	3,5
24	TOEDR2400	Driver constant voltage IP67 24V 100W	OUTDOOR		21,2	6,7	3,8