



WALL I MATISSE



Customise with connection system, see accessories.



293


CODE	TYPE	FINISH	WATT	VOLT	FITTING
MAT025UP3	Matisse wall up 30 cm	Bronze	2,8	230	-
MAT025UP4	Matisse wall up 40 cm	Bronze	4,2	230	-
MAT025UP6	Matisse wall up 60 cm	Bronze	7	230	-
MAT125UP3	Matisse wall up 30 cm	Brushed nickel	2,8	230	-
MAT125UP4	Matisse wall up 40 cm	Brushed nickel	4,2	230	-
MAT125UP6	Matisse wall up 60 cm	Brushed nickel	7	230	-
MAT225UP3	Matisse wall up 30 cm	Chrome	2,8	230	-
MAT225UP4	Matisse wall up 40 cm	Chrome	4,2	230	-
MAT225UP6	Matisse wall up 60 cm	Chrome	7	230	-
MAT325UP3	Matisse wall up 30 cm	Polished brass	2,8	230	-
MAT325UP4	Matisse wall up 40 cm	Polished brass	4,2	230	-
MAT325UP6	Matisse wall up 60 cm	Polished brass	7	230	-

PICTURE LIGHT | MATISSE INVISIBLE BASE

Base hidden behind your artwork.
Available in 2200K and 2700K.
Switch between 2200K and 2500K can be integrated on request.
Customise your product with the connection system, see accessories.



324




CODE	TYPE	FINISH	WATT	VOLT	FITTING
MAT022I20	Matisse invisible base 2200K - 20 cm	Bronze	1,4	230	-
MAT022I30	Matisse invisible base 2200K - 30 cm	Bronze	2,8	230	-
MAT022I40	Matisse invisible base 2200K - 40 cm	Bronze	4,2	230	-
MAT022I60	Matisse invisible base 2200K - 60 cm	Bronze	7	230	-
MAT027I20	Matisse invisible base 2700K - 20 cm	Bronze	1,4	230	-
MAT027I30	Matisse invisible base 2700K - 30 cm	Bronze	2,8	230	-
MAT027I40	Matisse invisible base 2700K - 40 cm	Bronze	4,2	230	-
MAT027I60	Matisse invisible base 2700K - 60 cm	Bronze	7	230	-
MAT122I20	Matisse invisible base 2200K - 20 cm	Brushed nickel	1,4	230	-
MAT122I30	Matisse invisible base 2200K - 30 cm	Brushed nickel	2,8	230	-
MAT122I40	Matisse invisible base 2200K - 40 cm	Brushed nickel	4,2	230	-
MAT122I60	Matisse invisible base 2200K - 60 cm	Brushed nickel	7	230	-
MAT127I20	Matisse invisible base 2700K - 20 cm	Brushed nickel	1,4	230	-
MAT127I30	Matisse invisible base 2700K - 30 cm	Brushed nickel	2,8	230	-
MAT127I40	Matisse invisible base 2700K - 40 cm	Brushed nickel	4,2	230	-
MAT127I60	Matisse invisible base 2700K - 60 cm	Brushed nickel	7	230	-
MAT222I20	Matisse invisible base 2200K - 20 cm	Chrome	1,4	230	-
MAT222I30	Matisse invisible base 2200K - 30 cm	Chrome	2,8	230	-
MAT222I40	Matisse invisible base 2200K - 40 cm	Chrome	4,2	230	-
MAT222I60	Matisse invisible base 2200K - 60 cm	Chrome	7	230	-
MAT227I20	Matisse invisible base 2700K - 20 cm	Chrome	1,4	230	-

PICTURE LIGHT | MATISSE INVISIBLE BASE


CODE	TYPE	FINISH	WATT	VOLT	FITTING
MAT227I30	Matisse invisible base 2700K - 30 cm	Chrome	2,8	230	-
MAT227I40	Matisse invisible base 2700K - 40 cm	Chrome	4,2	230	-
MAT227I60	Matisse invisible base 2700K - 60 cm	Chrome	7	230	-
MAT322I20	Matisse invisible base 2200K - 20 cm	Polished brass	1,4	230	-
MAT322I30	Matisse invisible base 2200K - 30 cm	Polished brass	2,8	230	-
MAT322I40	Matisse invisible base 2200K - 40 cm	Polished brass	4,2	230	-
MAT322I60	Matisse invisible base 2200K - 60 cm	Polished brass	7	230	-
MAT327I20	Matisse invisible base 2700K - 20 cm	Polished brass	1,4	230	-
MAT327I30	Matisse invisible base 2700K - 30 cm	Polished brass	2,8	230	-
MAT327I40	Matisse invisible base 2700K - 40 cm	Polished brass	4,2	230	-
MAT327I60	Matisse invisible base 2700K - 60 cm	Polished brass	7	230	-

Vraag uw kortingsprijs
Ask your Discount Price
Demandez votre prix de Réduction
Fragen Sie Ihren Rabatt Preis
www.Bcosy.be

PICTURE LIGHT | MATISSE RECTANGULAR BASE



Customise your product with the connection system, see accessories.
Available in 2200K and 2700K.
Switch between 2200K and 2500K can be integrated on request.



326


CODE	TYPE	FINISH	WATT	VOLT	FITTING
MAT022R20	Matisse rectangular base 2200K - 20 cm	Bronze	1,4	230	-
MAT022R30	Matisse rectangular base 2200K - 30 cm	Bronze	2,8	230	-
MAT022R40	Matisse rectangular base 2200K - 40 cm	Bronze	4,2	230	-
MAT022R60	Matisse rectangular base 2200K - 60 cm	Bronze	7	230	-
MAT027R20	Matisse rectangular base 2700K - 20 cm	Bronze	1,4	230	-
MAT027R30	Matisse rectangular base 2700K - 30 cm	Bronze	2,8	230	-
MAT027R40	Matisse rectangular base 2700K - 40 cm	Bronze	4,2	230	-
MAT027R60	Matisse rectangular base 2700K - 60 cm	Bronze	7	230	-
MAT122R20	Matisse rectangular base 2200K - 20 cm	Brushed nickel	1,4	230	-
MAT122R30	Matisse rectangular base 2200K - 30 cm	Brushed nickel	2,8	230	-
MAT122R40	Matisse rectangular base 2200K - 40 cm	Brushed nickel	4,2	230	-
MAT122R60	Matisse rectangular base 2200K - 60 cm	Brushed nickel	7	230	-
MAT127R20	Matisse rectangular base 2700K - 20 cm	Brushed nickel	1,4	230	-
MAT127R30	Matisse rectangular base 2700K - 30 cm	Brushed nickel	2,8	230	-
MAT127R40	Matisse rectangular base 2700K - 40 cm	Brushed nickel	4,2	230	-
MAT127R60	Matisse rectangular base 2700K - 60 cm	Brushed nickel	7	230	-
MAT222R20	Matisse rectangular base 2200K - 20 cm	Chrome	1,4	230	-
MAT222R30	Matisse rectangular base 2200K - 30 cm	Chrome	2,8	230	-
MAT222R40	Matisse rectangular base 2200K - 40 cm	Chrome	4,2	230	-
MAT222R60	Matisse rectangular base 2200K - 60 cm	Chrome	7	230	-
MAT227R20	Matisse rectangular base 2700K - 20 cm	Chrome	1,4	230	-

PICTURE LIGHT | MATISSE RECTANGULAR BASE


CODE	TYPE	FINISH	WATT	VOLT	FITTING
MAT227R30	Matisse rectangular base 2700K - 30 cm	Chrome	2,8	230	-
MAT227R40	Matisse rectangular base 2700K - 40 cm	Chrome	4,2	230	-
MAT227R60	Matisse rectangular base 2700K - 60 cm	Chrome	7	230	-
MAT322R20	Matisse rectangular base 2200K - 20 cm	Polished brass	1,4	230	-
MAT322R30	Matisse rectangular base 2200K - 30 cm	Polished brass	2,8	230	-
MAT322R40	Matisse rectangular base 2200K - 40 cm	Polished brass	4,2	230	-
MAT322R60	Matisse rectangular base 2200K - 60 cm	Polished brass	7	230	-
MAT327R20	Matisse rectangular base 2700K - 20 cm	Polished brass	1,4	230	-
MAT327R30	Matisse rectangular base 2700K - 30 cm	Polished brass	2,8	230	-
MAT327R40	Matisse rectangular base 2700K - 40 cm	Polished brass	4,2	230	-
MAT327R60	Matisse rectangular base 2700K - 60 cm	Polished brass	7	230	-

Vraag uw kortingsprijs
Ask your Discount Price
Demandez votre prix de Réduction
Fragen Sie Ihren Rabatt Preis
www.Bcosy.be

PICTURE LIGHT | MATISSE 90° RECTANGULAR BASE



Customise your product with the connection system, see accessories.
Available in 2200K and 2700K.
Switch between 2200K and 2500K can be integrated on request.



328

CODE	TYPE	FINISH	WATT	VOLT	FITTING
MAT022L20	Matisse 90° rectangular base 2200K - 20 cm	Bronze	1,4	230	-
MAT022L30	Matisse 90° rectangular base 2200K - 30 cm	Bronze	2,8	230	-
MAT022L40	Matisse 90° rectangular base 2200K - 40 cm	Bronze	4,2	230	-
MAT022L60	Matisse 90° rectangular base 2200K - 60 cm	Bronze	7	230	-
MAT027L20	Matisse 90° rectangular base 2700K - 20 cm	Bronze	1,4	230	-
MAT027L30	Matisse 90° rectangular base 2700K - 30 cm	Bronze	2,8	230	-
MAT027L40	Matisse 90° rectangular base 2700K - 40 cm	Bronze	4,2	230	-
MAT027L60	Matisse 90° rectangular base 2700K - 60 cm	Bronze	7	230	-
MAT122L20	Matisse 90° rectangular base 2200K - 20 cm	Brushed nickel	1,4	230	-
MAT122L30	Matisse 90° rectangular base 2200K - 30 cm	Brushed nickel	2,8	230	-
MAT122L40	Matisse 90° rectangular base 2200K - 40 cm	Brushed nickel	4,2	230	-
MAT122L60	Matisse 90° rectangular base 2200K - 60 cm	Brushed nickel	7	230	-
MAT127L20	Matisse 90° rectangular base 2700K - 20 cm	Brushed nickel	1,4	230	-
MAT127L30	Matisse 90° rectangular base 2700K - 30 cm	Brushed nickel	2,8	230	-
MAT127L40	Matisse 90° rectangular base 2700K - 40 cm	Brushed nickel	4,2	230	-
MAT127L60	Matisse 90° rectangular base 2700K - 60 cm	Brushed nickel	7	230	-
MAT222L20	Matisse 90° rectangular base 2200K - 20 cm	Chrome	1,4	230	-
MAT222L30	Matisse 90° rectangular base 2200K - 30 cm	Chrome	2,8	230	-
MAT222L40	Matisse 90° rectangular base 2200K - 40 cm	Chrome	4,2	230	-
MAT222L60	Matisse 90° rectangular base 2200K - 60 cm	Chrome	7	230	-
MAT227L20	Matisse 90° rectangular base 2700K - 20 cm	Chrome	1,4	230	-


PICTURE LIGHT | MATISSE 90° RECTANGULAR BASE

CODE	TYPE	FINISH	WATT	VOLT	FITTING
MAT227L30	Matisse 90° rectangular base 2700K - 30 cm	Chrome	2,8	230	-
MAT227L40	Matisse 90° rectangular base 2700K - 40 cm	Chrome	4,2	230	-
MAT227L60	Matisse 90° rectangular base 2700K - 60 cm	Chrome	7	230	-
MAT322L20	Matisse 90° rectangular base 2200K - 20 cm	Polished brass	1,4	230	-
MAT322L30	Matisse 90° rectangular base 2200K - 30 cm	Polished brass	2,8	230	-
MAT322L40	Matisse 90° rectangular base 2200K - 40 cm	Polished brass	4,2	230	-
MAT322L60	Matisse 90° rectangular base 2200K - 60 cm	Polished brass	7	230	-
MAT327L20	Matisse 90° rectangular base 2700K - 20 cm	Polished brass	1,4	230	-
MAT327L30	Matisse 90° rectangular base 2700K - 30 cm	Polished brass	2,8	230	-
MAT327L40	Matisse 90° rectangular base 2700K - 40 cm	Polished brass	4,2	230	-
MAT327L60	Matisse 90° rectangular base 2700K - 60 cm	Polished brass	7	230	-


Vraag uw kortingsprijs
Ask your Discount Price
Demandez votre prix de Réduction
Fragen Sie Ihren Rabatt Preis
www.Bcosy.be

PICTURE LIGHT | MATISSE CABINET MOUNTED

Select the correct driver, see accessories.
Available in 2200K and 2700K.
Switch between 2200K and 2500K can be integrated on request.



330



CODE	TYPE	FINISH	WATT	VOLT	FITTING
MAT022C20	Matisse cabinet mounted 2200K - 20 cm	Bronze	1,4	24	-
MAT022C30	Matisse cabinet mounted 2200K - 30 cm	Bronze	2,8	24	-
MAT022C40	Matisse cabinet mounted 2200K - 40 cm	Bronze	4,2	24	-
MAT022C60	Matisse cabinet mounted 2200K - 60 cm	Bronze	7	24	-
MAT027C20	Matisse cabinet mounted 2700K - 20 cm	Bronze	1,4	24	-
MAT027C30	Matisse cabinet mounted 2700K - 30 cm	Bronze	2,8	24	-
MAT027C40	Matisse cabinet mounted 2700K - 40 cm	Bronze	4,2	24	-
MAT027C60	Matisse cabinet mounted 2700K - 60 cm	Bronze	7	24	-
MAT122C20	Matisse cabinet mounted 2200K - 20 cm	Brushed nickel	1,4	24	-
MAT122C30	Matisse cabinet mounted 2200K - 30 cm	Brushed nickel	2,8	24	-
MAT122C40	Matisse cabinet mounted 2200K - 40 cm	Brushed nickel	4,2	24	-
MAT122C60	Matisse cabinet mounted 2200K - 60 cm	Brushed nickel	7	24	-
MAT127C20	Matisse cabinet mounted 2700K - 20 cm	Brushed nickel	1,4	24	-
MAT127C30	Matisse cabinet mounted 2700K - 30 cm	Brushed nickel	2,8	24	-
MAT127C40	Matisse cabinet mounted 2700K - 40 cm	Brushed nickel	4,2	24	-
MAT127C60	Matisse cabinet mounted 2700K - 60 cm	Brushed nickel	7	24	-
MAT222C20	Matisse cabinet mounted 2200K - 20 cm	Chrome	1,4	24	-
MAT222C30	Matisse cabinet mounted 2200K - 30 cm	Chrome	2,8	24	-
MAT222C40	Matisse cabinet mounted 2200K - 40 cm	Chrome	4,2	24	-
MAT222C60	Matisse cabinet mounted 2200K - 60 cm	Chrome	7	24	-
MAT227C20	Matisse cabinet mounted 2700K - 20 cm	Chrome	1,4	24	-


PICTURE LIGHT | MATISSE CABINET MOUNTED

CODE	TYPE	FINISH	WATT	VOLT	FITTING
MAT227C30	Matisse cabinet mounted 2700K - 30 cm	Chrome	2,8	24	-
MAT227C40	Matisse cabinet mounted 2700K - 40 cm	Chrome	4,2	24	-
MAT227C60	Matisse cabinet mounted 2700K - 60 cm	Chrome	7	24	-
MAT322C20	Matisse cabinet mounted 2200K - 20 cm	Polished brass	1,4	24	-
MAT322C30	Matisse cabinet mounted 2200K - 30 cm	Polished brass	2,8	24	-
MAT322C40	Matisse cabinet mounted 2200K - 40 cm	Polished brass	4,2	24	-
MAT322C60	Matisse cabinet mounted 2200K - 60 cm	Polished brass	7	24	-
MAT327C20	Matisse cabinet mounted 2700K - 20 cm	Polished brass	1,4	24	-
MAT327C30	Matisse cabinet mounted 2700K - 30 cm	Polished brass	2,8	24	-
MAT327C40	Matisse cabinet mounted 2700K - 40 cm	Polished brass	4,2	24	-
MAT327C60	Matisse cabinet mounted 2700K - 60 cm	Polished brass	7	24	-

Vraag uw kortingsprijs
Ask your Discount Price
Demandez votre prix de Réduction
Fragen Sie Ihren Rabatt Preis
www.Bcosy.be

FLOOR | MATISSE

Integrated LED.



360



CODE	TYPE	FINISH	WATT	VOLT	FITTING
MAT025FLL	Matisse L floor	Bronze	2,8	230	-
MAT125FLL	Matisse L floor	Brushed nickel	2,8	230	-
MAT225FLL	Matisse L floor	Chrome	2,8	230	-
MAT325FLL	Matisse L floor	Polished brass	2,8	230	-

ACCESSORIES | CONNECTION SYSTEM MONET / MATISSE



CODE	TYPE	FINISH
MON000MIN	Minaret monet / matisse	Bronze
MON00LCON	Corner connection monet / matisse	Bronze
MON000CON	I connection monet / matisse	Bronze
MON100MIN	Minaret monet / matisse	Brushed nickel
MON10LCON	Corner connection monet / matisse	Brushed nickel
MON100CON	I connection monet / matisse	Brushed nickel
MON200MIN	Minaret monet / matisse	Chrome
MON20LCON	Corner connection monet / matisse	Chrome
MON200CON	I connection monet / matisse	Chrome
MON300MIN	Minaret monet / matisse	Polished brass
MON30LCON	Corner connection monet / matisse	Polished brass
MON300CON	I connection monet / matisse	Polished brass

Select your driver with following steps

484

STEP 1

SELECT TYPE OF DRIVER (12V OR 24V)

Collection	Type of driver
Centonze, Marron, Comète, Poire, Fleure, Fleure Twin, Fiston, Monet, Grille, Subtile, Charmond (retrofit), Macro	12V
Matisse, Pipilier, Beautique, Galed, Charmond (integrated), Eclips	24V

STEP 2

CALCULATE TOTAL POWER CONSUMPTION OF THIS CIRCUIT

How many products (N) do you combine on 1 driver?
Total power consumption = N x power consumption of 1 product

STEP 3

CALCULATE REQUIRED DRIVER CAPACITY

LED lamp: use maximum 50% of total nominal power of the driver
Halogen lamp: use 100% of total nominal power of the transformer

STEP 4


LOCATION OF THE DRIVER / TRAFO

Indoor, outdoor or in the ground

EXAMPLE: Installation of 4 Centonze LED-spot with a bulb of 12W each in a living room

- Step 1** Centonze requires 12V driver
- Step 2** Total power consumption = 4(N) x 12W (power consumption of 1 product) = 48W
- Step 3** LED lamp, only 50% of driver power can be used. Total required driver capacity is 2x48W=96W
- Step 4** Indoor application (living room)
- Result** Drivers TOETRAP10 (rectangular) or TOETRAR10 (round) can be used

ACCESSORIES | DRIVER / TRANSFORMER



485

	CODE	TYPE	LOCATION	DIM	L(cm)	W(cm)	H(cm)
1	TOETRAR60	Transformer IP20 12V 50W	INDOOR	dimnable	Ø5		2
2	LEDRI1250	Transformer IP20 12V 50W	INDOOR	dimnable	7,5	3,5	2,6
3	LEDRW1250	Transformer IP68 12V 50W	GROUND	dimnable	9	9	5
4	TOETRAP60	Transformer IP20 12V 60W	INDOOR	dimnable	8,5	3	2
5	TOETR6560	Transformer IP65 12V 60W	OUTDOOR	dimnable	Ø5,3		2
6	TOETR656L	Transformer IP65 12V 60W	OUTDOOR	dimnable	10,4	3	2,1
7	TOETR6860	Transformer IP68 12V 60W	GROUND	dimnable	9	9	5
8	TOETRAP10	Transformer IP20 12V 105W	INDOOR	dimnable	10,5	3,5	2
9	TOETRAR10	Transformer IP20 12V 105W	INDOOR	dimnable	Ø7		2
10	TOETR6510	Transformer IP65 12V 105W	OUTDOOR	dimnable	Ø6,8		2,4
11	TOETR651L	Transformer IP65 12V 105W	OUTDOOR	dimnable	13,5	3	2
12	TOETR6810	Transformer IP68 12V 105W	GROUND	dimnable	9	9	5
13	TOEDR2404	Driver constant voltage IP65 24V 4W	OUTDOOR		3,8	2,7	2,1
14	TOEDR2405	Driver constant voltage IP67 24V 5W	OUTDOOR		5,7	5,5	2,4
15	LEDRW2405	Driver constant voltage IP68 24V 5W	GROUND		5,7	5,5	2,4
16	TOEDR2412	Driver constant voltage IP67 24V 12W	OUTDOOR		6,5	3,5	2,2
17	TOEDR2420	Driver constant voltage IP67 24V 20W	OUTDOOR		15,6	2,9	2,1
18	TOEDR2430	Driver constant voltage IP67 24V 30W	OUTDOOR		18,1	2,9	2,1
19	TOEDR2436	Driver constant voltage Triac + push dim IP20 24V 36W	INDOOR	dimnable	17,5	4,5	3
20	TOEDR2445	Driver constant voltage IP67 24V 45W	OUTDOOR		22	2,9	2,1
21	TOEDR2460	Driver constant voltage IP67 24V 60W	OUTDOOR		17,8	6,7	3,8
22	TOEDR2475	Driver constant voltage Triac + push dim IP20 24V 75W	INDOOR	dimnable	20,3	6,2	3,5
23	TOEDR2480	Driver constant voltage IP67 24V 80W	OUTDOOR		15,8	5,3	3,5
24	TOEDR2400	Driver constant voltage IP67 24V 100W	OUTDOOR		21,2	6,7	3,8