

HEATSCOPE® PURE

Recommended retail prices (RRP), incl. 21% VAT – all prices are subject to delivery costs ex works Sauerlach, Germany.

HEATSCOPE® PURE

convex shaped black resp. white industrial ceramic glass front screen (NEXTREMA® by SCHOTT®) · black resp. white coated aluminium body · energy efficient twin carbon heating elements with right under the curved glass screen · patent reflector heating system with air conditioned back · ON/OFF + two manually switchable power stages (100%, 50%) · visible light: < 300 lux · max. heating output in < 30 sec. · mounting accessories for wall or ceiling mounting included (see below)



HEATSCOPE® PURE – manual regulation, 4-core cable

SPECIFICATIONS: ON/OFF + two manual switchable power stages (100% or 50%) for use with smart home systems or external switch (somfy, Elsner, KNX etc.)

Info EU regulation 2015/1188 Ecodesign Directive 2009/125/EG: HEATSCOPE® heaters of the PE series fulfill the standards of the EU 2015/1188 ecodesign directive, when the room temperature control is accomplished by the optional available DEVreg™ Smart thermostat. Price: 171.55 EUR.



art.-no.	colour	power	weight	measurements	price
MHS-PE2400AB.100	black	2400 W	7.5 kg	1044 x 166 x 87 mm	1,269.99 €
MHS-PE2400WT.100	white	2400 W	7.5 kg	1044 x 166 x 87 mm	1,422.51 €

HEATSCOPE® PURE MOUNTING EQUIPMENT – for wall and ceiling installation included

The HEATSCOPE® PURE can be installed with the included color corresponding bracket for wall or ceiling mounting. The heater is fixed with a clamp bar. This bar is placed on the back of the housing in a fitting groove.

With the hinge joint the heater will be adjusted in the perfect heating corridor angle afterwards.

INCLUDED

Mounting bracket with hinge joint for stepless adjustment of the HEATSCOPE®




Sizes:
Width (clamp bar): 11.0 cm
Height (straight pos.): 12.8 cm
Depth (wall mounting): 5.5 cm

HEATSCOPE® PURE

Recommended retail prices (RRP), incl. 21% VAT – all prices are subject to delivery costs ex works Sauerlach, Germany.

SMARTBOX is THE control unit for HEATSCOPE® PURE design heaters!

Just mount it between power supply and heater – and it's possible to control the HEATSCOPE® heater with the included IR remote control, to switch the PURE ON and OFF, to regulate it down on 50% power or to regulate it back again on full 100% output.



INCLUDED



IR control unit HEATSCOPE®

Convex formed black or white translucent front screen · black or white housing (corresponding with PURE heater) · controlled via HEATSCOPE® infrared remote control or with somfy® I/O · mounting panel included for installation with PURE heater · remote control + batteries within scope of delivery (excl. somfy® I/O) · automatic shutdown after 4, 6 or 8 hours (deactivation possible) · idea + design: Studio Bjørn Blisse

art.-no.	colour	power supply	weight	measurements	price
MHS-SBOXIWT.100	white	220–240 VAC~	0.35 kg / 0.51 kg	100 x 170 x 35.5 mm	253.18 €
MHS-SBOXIAB.100	black	220–240 VAC~	0.35 kg / 0.51 kg	100 x 170 x 35.5 mm	253.18 €

I/O control unit somfy.

Convex formed black or white translucent front screen · black or white housing (corresponding with PURE heater) · made for integration in somfy® I/O systems (somfy® I/O remote control not included in scope of delivery) · mounting panel included for installation with PURE heater · idea + design: Studio Bjørn Blisse.

art.-no.	colour	power	weight	measurements	price
MHS-SBOXSWT.100	white	220–240 VAC~	0.35 kg / 0.51 kg	100 x 170 x 35.5 mm	405.71 €
MHS-SBOXSAB.100	black	220–240 VAC~	0.35 kg / 0.51 kg	100 x 170 x 35.5 mm	405.71 €

HEATSCOPE® PURE

Recommended retail prices (RRP), incl. 21% VAT – all prices are subject to delivery costs ex works Sauerlach, Germany.

HEATSCOPE® Extensions – ceiling suspensions for PURE design heaters

If you have a higher ceiling (over 3 m) just install the new PURE extensions between mounting bracket and hinge joint.

Of course you can combine the different lengths of the extensions to every individual length which is needed (n 10cm steps) for you special installation environment. For this just use the extension adapter MHS-PN-DAHADAP.



Extensions/Fixing rods PURE

ceiling suspensions for the design heater PURE · length: 10 cm, 30 cm or 50 cm · adapter available to combine several extensions to one piece · scope of delivery: suspension in black or white, installation tophat, connection screws

To connect two extensions to one unit you will need the adapter MHS-PN-DAHADAP.

art.-no.	colour	material	weight	measurements	price
MHS-PN-DAH10-AB	black	aluminium coated	0.16 kg	100 x ø 40 mm	70.16 €
MHS-PN-DAH10-WT	white				
MHS-PN-DAH30-AB	black	aluminium coated	0.38 kg	300 x ø 40 mm	80.33 €
MHS-PN-DAH30-WT	white				
MHS-PN-DAH50-AB	black	aluminium coated	0.50 kg	500 x ø 40 mm	90.50 €
MHS-PN-DAH50-WT	white				
MHS-PN-DAHADAP	aluminium	aluminium	0.10 kg	50 x ø 38 mm	12.20 €


HEATSCOPE® STAND

Recommended retail prices (RRP), incl. 21% VAT – all prices are subject to delivery costs ex works Sauerlach, Germany.

**HEATSCOPE® STAND – totally flexible,
for model ranges PURE heaters**

HEATSCOPE® PURE design heaters are generally installed on the wall or ceiling. However, the HEATSCOPE® STAND was developed (by Bjørn Blisse) to use the heater flexibly on the terrace or in the garden,.

With the help of the HEATSCOPE® STAND you can bring heat to every corner of your garden or terrace.



STAND design free standing solution for PURE heaters

art.-no.	colour	corresp. models	weight	measurements	price p. piece
MHS-PN-STD-AB	ALL BLACK Foot: black Pole: black	MHS-PE2400AB	25.5 kg	ø 600 x 2151 mm	813.- €*
MHS-PN-STD-WT	WHITE Foot: white Pole: white	MHS-PE2400WT	25.5 kg	ø 600 x 2151 mm	813.- €*


* Heater NOT INCLUDED! All prices for FREE design stands without heating unit.

HEATSCOPE® SPOT

Recommended retail prices (RRP), incl. 21% VAT – all prices are subject to delivery costs ex works Sauerlach, Germany.

HEATSCOPE® SPOT

black resp. white fin front screen · black resp. white coated aluminium body · energy efficient twin carbon heating elements with satin surface · patent pending reflector heating system with air conditioned back · incl. accessories for wall or ceiling mounting · visible light: < 600 lumen · max. heating output in < 15 sec. · mounting accessories for wall or ceiling mounting included (see below)



HEATSCOPE® SPOT – manual regulation, 4-core cable, for single rooms and outdoor areas

SPECIFICATIONS: ON/OFF + two manual switchable power stages (100% or 50%)
for use with smart home systems or external switch)

Info EU regulation 2015/1188 Ecodesign Directive 2009/125/EG: HEATSCOPE® heaters of the SM series fulfill the standards of the EU 2015/1188 ecodesign directive, when the room temperature control is accomplished by the optional available DEVreg™ Smart thermostat.
Price: 171.55 EUR.



art.-no.	colour	power	weight	measurements	price
MHS-SM2800AB.100	black	2800 W	5.0 kg	884 x 184 x 78 mm	792.09 €
MHS-SM2800WT.100	white	2800 W	5.0 kg	884 x 184 x 78 mm	842.93 €

HEATSCOPE® SPOT – 2 step power stage regulation, remote-controlled, 3-core cable

SPECIFICATIONS: ON/OFF + two switchable remote-controlled power stages (100%, 50%), incl. IR- remote control



art.-no.	colour	power	weight	measurements	price
MHS-SP1600AB.100	black	1600 W	4.0 kg	670 x 184 x 78 mm	709.73 €
MHS-SP2200AB.100		2200 W	4.5 kg	810 x 184 x 78 mm	781.92 €
MHS-SP2800AB.100		2800 W	5.0 kg	884 x 184 x 78 mm	811.41 €
MHS-SP1600WT.100	white	1600 W	4.0 kg	670 x 184 x 78 mm	802.26 €
MHS-SP2200WT.100		2200 W	4.5 kg	810 x 184 x 78 mm	873.44 €
MHS-SP2800WT.100		2800 W	5.0 kg	884 x 184 x 78 mm	913.09 €

HEATSCOPE® MOUNTING ACCESSORIES – for wall or ceiling mounting included

INCLUDED



assembled mounting equipment: max. height 120 mm

=



mounting brackets
height approx. 9 mm

+



hinge joints
height max. 100 mm

+



Montageschürzen
Höhe ca. 11 mm



mounting plate
height approx. 11 mm

HEATSCOPE® VISION

Recommended retail prices (RRP), incl. 21% VAT – all prices are subject to delivery costs ex works Sauerlach, Germany.

HEATSCOPE® VISION

black resp. white industrial ceramic glass front screen (NEXTREMA® by SCHOTT®) · titan resp. white coated aluminium body · energy efficient twin carbon heating elements with satin surface · patent pending reflector heating system with air conditioned back · ON/OFF + two switchable power stages (100%, 50%) via IR-remote control · visible light: < 300 lux · max. heating output in < 30–60 sec. · mounting accessories for wall or ceiling mounting included (see below)



HEATSCOPE® VISION – manual regulation, 4-core cable

SPECIFICATIONS: ON/OFF + two manual switchable power stages (100% or 50%) for use with smart home systems or external switch

Info EU regulation 2015/1188 Ecodesign Directive 2009/125/EG: HEATSCOPE® heaters of the VE series fulfill the standards of the EU 2015/1188 ecodesign directive, when the room temperature control is accomplished by the optional available DEVreg™ Smart thermostat. Price: 171.55 EUR.



art.-no.	colour	power	weight	measurements	price
MHS-VE2200AB.100	black	2200 W	8.0 kg	1160 x 184 x 87 mm	1,218.13 €
MHS-VE3200AB.100		3200 W	11.0 kg	1660 x 184 x 87 mm	1,421.50 €
MHS-VE2200WT.100	white	2200 W	8.0 kg	1160 x 184 x 87 mm	1,453.02 €
MHS-VE3200WT.100		3200 W	11.0 kg	1660 x 184 x 87 mm	1,808.90 €

HEATSCOPE® VISION – 2 step power stage regulation, remote-controlled, 3-core cable

SPECIFICATIONS: ON/OFF + two switchable remote-controlled power stages (100%, 50%), incl. IR- remote control



art.-no.	colour	power	weight	measurements	price
MHS-VT1600AB.100	black	1600 W	6.0 kg	810 x 184 x 87 mm	1,014.77 €
MHS-VT2200AB.100		2200 W	8.0 kg	1160 x 184 x 87 mm	1,290.33 €
MHS-VT3200AB.100		3200 W	11.0 kg	1660 x 184 x 87 mm	1,503.86 €
MHS-VT1600WT.100	white	1600 W	6.0 kg	810 x 184 x 87 mm	1,218.13 €
MHS-VT2200WT.100		2200 W	8.0 kg	1160 x 184 x 87 mm	1,523.18 €
MHS-VT3200WT.100		3200 W	11.0 kg	1660 x 184 x 87 mm	1,890.24 €

HEATSCOPE® MOUNTING ACCESSORIES – for wall or ceiling mounting included

INCLUDED



assembled mounting equipment: max. height 120 mm

=



mounting brackets height approx. 9 mm

+



hinge joints height max. 100 mm

+



Montageschürzen Höhe ca. 11 mm



(+)



mounting plate height approx. 11 mm

HEATSCOPE® WS

Especially for
VISION + SPOT
heaters

Recommended retail prices (RRP), incl. 21% VAT – all prices are subject to delivery costs ex works Sauerlach, Germany.

HEATSCOPE® weather shield – perfectly protected and optimally shielded

The HEATSCOPE® weather protection shields effectively protect the radiant heaters from persistent rain in locations that are not covered by a roof. The design – as with the FREE design stand system and the new generation of PURE heaters – is by Bjørn Blisse.

HEATSCOPE® VISION + SPOT heaters must be protected on the rear side against rain and other weather influences. This is best achieved by installing them under a roof or canopy. Where this is not possible, a weather protection shield in the corresponding black or white colour is mandatory.



Weather shield, powdercoated (mandator for installation of SPOT + VISION in unsheltered areas without any ceiling)

art.-no.	colour	corresp. models	weight	measurements	price
MHS-VS-WS3.AB	aluminium, powdercoated black	SPOT 2200, 2800 VISION 1600	1.02 kg	105 x 980 x 329 mm	228.78 €* 228.78 €* 228.78 €* 228.78 €*
MHS-VS-WS3.WT	aluminium, powdercoated white				
MHS-VS-WS4.AB	aluminium, powdercoated black	VISION 2200	1.30 kg	105 x 1240 x 329 mm	253.18 €* 253.18 €* 253.18 €* 253.18 €*
MHS-VS-WS4.WT	aluminium, powdercoated white				
MHS-VS-WS5.AB	aluminium, powdercoated black	VISION 3200	1.82 kg	105 x 1750 x 329 mm	303.01 €* 303.01 €* 303.01 €* 303.01 €*
MHS-VS-WS5.WT	aluminium, powdercoated white				

* Heater NOT INCLUDED! All prices for waether shields without heating unit.

HEATSCOPE® FREE

Especially for
VISION + SPOT
heaters

Recommended retail prices (RRP), incl. 21% VAT – all prices are subject to delivery costs ex works Sauerlach, Germany.

**HEATSCOPE® FREE – totally independent,
for model ranges VISION and SPOT**

HEATSCOPE® ambient and power heaters are generally installed on the wall or ceiling. The HEATSCOPE® FREE design stands were developed (Bjørn Blisse Design Studio) to use the heater flexibly on the terrace or in the garden.

With the help of the HEATSCOPE® FREE you can bring heat to every corner of your garden or terrace. The top of the heater is protected from rain by a concave weather protection shield, and on the inside the integrated anti-tilt system turns the heater off automatically if it should be tilted too far.



FREE design stands for SPOT + VISION heaters

art.-no.	colour	corresp. models	weight	measurements	price p. piece
MHS-FREE-3.5-AB	ALL BLACK foot: black pole: black	MHS-SP2200, 2800 MHS-VT1600	38.7 kg	2163 x 980 x 610 mm	1,523.18 €*
MHS-FREE-4-AB		MHS-VT2200	39.3 kg	2163 x 1240 x 610 mm	1,575.03 €*
MHS-FREE-5-AB		MHS-VT3200	40.4 kg	2163 x 1750 x 610 mm	1,624.86 €*
MHS-FREE-3.5-WT	WHITE foot: white pole: white	MHS-SP2200, 2800 MHS-VT1600	38.7 kg	2163 x 980 x 610 mm	1,523.18 €*
MHS-FREE-4-WT		MHS-VT2200	39.3 kg	2163 x 1240 x 610 mm	1,575.03 €*
MHS-FREE-5-WT		MHS-VT3200	40.4 kg	2163 x 1750 x 610 mm	1,624.86 €*
MHS-FREE-3.5-WB MHS-FREE-3.5-WW	BLACK WOOD WHITE WOOD pole: wood design	MHS-SP2200, 2800 MHS-VT1600	38.7 kg	2163 x 980 x 610 mm	1,624.86 €*
MHS-FREE-4-WB MHS-FREE-4-WW		MHS-VT2200	39.3 kg	2163 x 1240 x 610 mm	1,676.71 €*
MHS-FREE-5-WB MHS-FREE-5-WW		MHS-VT3200	40.4 kg	2163 x 1750 x 610 mm	1,726.54 €*

* Heater NOT INCLUDED! All prices for FREE design stands without heating unit.

HEATSCOPE® LIFT

Especially for
VISION + SPOT
heaters

Recommended retail prices (RRP), incl. 21% VAT – all prices are subject to delivery costs ex works Sauerlach, Germany.

HEATSCOPE® LIFT – lifting system for flush ceiling mounting of VISION und SPOT heaters

For flush-mounted ceiling integration, HEATSCOPE® also offers its own, unique solution: a LIFT system lowers the radiant heater approx. 12 cm from the ceiling opening as soon as it is switched on.

The heater is automatically retracted again after a short cooling-off period (3 minutes).



BOX mounting case



FRAME design blind



LIFT Steuerungsbox

LIFT lifting system incl. control unit (exclusively made for flush-mounted installations of HEATSCOPE® SPOT + VISION heaters)

art.-no.	colour	corresp. models	weight	measurements	price p. piece
MHS-LFT	coated aluminium	Spot 2200, 2800, Vision 1600, 2200, 3200	4.0 kg	584 x 100 x 207 mm	1,015.79 €

BOX mounting case for ceiling cut-outs (optional accessory – only in combination with HEATSCOPE® LIFT!)

art.-no.	colour	corresp. models	weight	measurements	price p. piece
MHS-SCBL2800WT	RAL9003 signal white**	all Spot 2800 models	5.6 kg	981 x 270 x 196 mm	709.73 €
MHS-VCBL1600WT	RAL9003 signal white**	all Spot 2200, Vision 1600 models	5.2 kg	908 x 270 x 196 mm	690.41 €
MHS-VCBL2200WT	RAL9003 signal white**	all Vision 2200 models	7.0 kg	1258 x 270 x 196 mm	842.93 €
MHS-VCBL3200WT	RAL9003 signal white**	all Vision 3200 models	9.6 kg	1758 x 270 x 196 mm	913.09 €

FRAME design blind for ceiling cut-outs (optional accessory – only in combination with HEATSCOPE® LIFT!)

art.-no.	colour	corresp. models	weight	measurements	price p. piece
MHS-SFR2800WT	RAL9003 signal white**	all Spot 2800 models	2.0 kg	1030 x 281 x 24.5 mm	446.38 €
MHS-VFR1600WT	RAL9003 signal white**	all Spot 2200, Vision 1600 models	2.1 kg	956 x 281 x 24.5 mm	426.04 €
MHS-VFR2200WT	RAL9003 signal white**	all Vision 2200 models	2.4 kg	1306 x 281 x 24.5 mm	476.88 €
MHS-VFR3200WT	RAL9003 signal white**	all Vision 3200 models	2.9 kg	1806 x 281 x 24.5 mm	506.37 €

** Custom made boxes and frames in other RAL colors upon request and with extra charge.

HEATSCOPE® EXTRAS

Especially for
VISION + SPOT
heaters

Recommended retail prices (RRP), incl. 21% VAT – all prices are subject to delivery costs ex works Sauerlach, Germany.

HEATSCOPE® Extensions for extra high ceilings

Installation hardware for mounting on walls and ceilings is always included with all HEATSCOPE® models.

Alongside this included equipment, there is of course other mounting extension hardware available for the HEATSCOPE® SPOT and VISION series – for ceilings of 3 m and more.



Extensions/Fixing rods for SPOT + VISION

art.-no.	colour	corresp. models	weight	measurements	price p. pair
MHS-VS-DAH6-AB	black	all SPOT + VISION models	0.04 kg	60 x Ø 24 mm	39.66 €
MHS-VS-DAH6-WT	white				
MHS-VS-DAH10-AB	black	all SPOT + VISION models	0.06 kg	100 x Ø 24 mm	49.82 €
MHS-VS-DAH10-WT	white				
MHS-VS-DAH30-AB	black	all SPOT + VISION models	0.19 kg	300 x Ø 24 mm	80.33 €
MHS-VS-DAH30-WT	white				
MHS-VS-DAH50-AB	black	all SPOT + VISION models	0.29 kg	500 x Ø 24 mm	106.76 €
MHS-VS-DAH50-WT	white				

Dual Fixing Rod to adjust two SPOT or two VISION heaters (excl. mounting equipment, which is part of delivery of every heater)

art.-no.	colour	corresp. models	weight	measurements	price p. pair
MHS-VS-DOP	stainless steel	all SPOT + VISION models	0.18 kg	180 x 50 x 24 mm thickness 2.5 mm	70.16 €

HEATSCOPE® ERSATZ

Especially for
VISION + SPOT
heaters

Recommended retail prices (RRP), incl. 21% VAT – all prices are subject to delivery costs ex works Sauerlach, Germany.


HEATSCOPE® spare parts – original equipment

For all radiant heaters in the HEATSCOPE® series: you choose the most suitable model for your individual installation situation – and you'll receive a complete package from us including infrared radiant heater plus hardware.

And if you loose the original mounting hardware?
In this case just order new parts from us!



MHS-VS-FBHS-BK-S



Mounting brackets, mounting plates, adjustable hinge joints

art.-no.	colour	corresp. models	weight	measurements	price p. pair
MHS-VS-MH-AB	black	all SPOT + VISION models	0.06 kg	95 x 63 x 11 mm	35.59 €
MHS-VS-MH-WT	white				
MHS-VS-DAHDB-AB	black	all SPOT + VISION models	0.06 kg	90 x 46 x 9 mm	49.82 €
MHS-VS-DAHDB-WT	white				
MHS-VS-DAHGMS-AB	black	all SPOT + VISION models	0.11 kg	100 x Ø 24 mm	99.65 €
MHS-VS-DAHGMS-WT	white				

2-step infrared remote control handheld (ON/OFF, 100%, 50%)

art.-no.	colour	corresp. models	weight	measurements	price p. piece
MHS-VS-FBHS-BK-S	black	all SPOT + VISION models	0.05 kg (incl. batt.)	173 x 29 x 18 mm	61.30 €